Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	787	(@ad<"20040331") and storage same display adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 13:46
S2	8170	(@ad<"20040331") and storage same display with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 15:26
S 3	59	S2 and state with idle and state with off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:31
S4	27	S3 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:31
S5	22	S2 and four\$2 adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:40
S6	4	S5 and idle and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:32
S7 -	1	S6 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:36
S8	5	(@ad<"20040331") and 710/15-19.ccls. and LED and storage same state same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:38
S9	278054	storage adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:40

S10	774	(@ad<"20040331" @rlad<"20040331") and storage with system with state with display	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2006/10/06 12:40
S11	92	S10 and LED	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:40
S12	26	S11 and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:42
S13	6	S12 and backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:41
S14	20	S12 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/06 12:42
S15	27468	(@ad<"20040331") and display adj state adj (information data status indicat\$2) "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:46
S16	7	(@ad<"20040331") and display adj state adj (information data status indicat\$2) and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:20
S17	384	(@ad<"20040331") and display with state with (information data status indicat\$2) and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:20
S18	377	S17 not S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:20
S19	14	S18 and four\$2 adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:21

			·	·		
S20	219	(@ad<"20040331") and display with state same LED same storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:47
S21	0	S20 and first adj state and second adj state and third adj state and fourth adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:47
S23	4	S20 and idle with state and off with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 13:48
S24	12	(@ad<"20040331") and display adj (status state) with storage and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:16
S25	6	S24 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:13
S26	660	(@ad<"20040331") and display adj (status state) with storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:18
S27	. 1	S26 and first adj state and second adj state and third adj state and fourth adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:17
S28	608	S26 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:18
S29	0	S28 and idle same state and active same state and off same state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:19
S30	14	S28 and idle and active and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:19

S31		(@ad<"20040331") and display adj state adj (information data status indicat\$2) and backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:46
S32	6	(@ad<"20040331") and display adj state adj (information data status indicat\$2) and backup same storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/06 15:46
S33	210	(@ad<"20040331") and storage same status same LED same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 13:52
S34	0	S33 and idle and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 13:50
S35	10	S33 and idle and active	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/10/07 13:50
S36	10	S35 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 13:51
S37	2	S36 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 15:25
538	4096	(@ad<"20040331") and storage same status with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/07 13:52
S39	1	(@ad<"20040331") and storage same status with display and idle and on and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 13:52
S40	14374	(@ad<"20040331") and storage same display same state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:08

		1	·		····	
S44	66	(@ad<"20040331") and storage adj system same display with state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 15:55
S45	12	S44 and idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:03
S46	10	S44 and idle and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:03
S47	567	(@ad<"20040331") and hard adj (drive disc disk) with LED\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:08
S48	66	(@ad<"20040331") and hard adj (drive disc disk) with LED\$1 same status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 09:47
S49	66	(@ad<"20040331") and hard adj (drive disc disk) with LED\$1 same status\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/07 16:09
S50	0	S49 and idle and off and on	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:10
S51	18	S49 and idle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:16
S52	48	S49 NOT S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:26
S53	1:41:02 PM	S52 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/07 16:26

S54	. 1652	(@ad<"20040331") and SCSI with (state status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 09:48
S55	430	(@ad<"20040331") and SCSI with (state status) with (storage drive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 09:49
S56	0	S55 and idle and off and on	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 09:48
S57	41	S55 and idle and active and inactive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 09:48
S58	-	(@ad<"20040331") and SCSI with (state status) with (storage drive) same active same inactive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 12:18
S59	0	10/815516	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 12:18
S60	0	"10815516"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/08 12:18
S62	2	"7013336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/09 11:51
S63	0	S62 and mount	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/09 11:51
S64		S62 and mount\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/09 11:51